

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Revision Date 05.11.2010

Version 8.6

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No.	105679
Product name	Lithium chloride for analysis EMSURE® ACS, Reag. Ph Eur
REACH Registration Number	A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Reagent for analysis For additional information on uses please refer to the Merck Chemicals portal (www.merck-chemicals.com).
-----------------	---

1.3 Details of the supplier of the safety data sheet

Company	Merck KGaA * 64271 Darmstadt * Germany * Phone: +49 6151 72-0
Responsible Department	EQ-EPS * e-mail: prodsafe@merck.de

1.4 Emergency telephone number **Please contact the regional Merck representation in your country.**

2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4, Oral, H302

Skin irritation, Category 2, H315

Eye irritation, Category 2, H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification (67/548/EEC or 1999/45/EC)

Xn; R22

Xi; R36/38

For the full text of the R-phrases mentioned in this Section, see Section 16.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Warning

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 105679
Product name Lithium chloride for analysis EMSURE® ACS, Reag. Ph Eur

Hazard statements

H302 Harmful if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.

Precautionary statements

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Reduced labelling (≤125 ml)

Hazard pictograms



Signal word
Warning

CAS-No. 7447-41-8

Labelling (67/548/EEC or 1999/45/EC)

Symbol(s)	Xn	Harmful
R-phrase(s)	22-36/38	Harmful if swallowed. Irritating to eyes and skin.
EC-No.	231-212-3	

Reduced labelling (≤125 ml)

Symbol(s)	Xn	Harmful
R-phrase(s)	22	Harmful if swallowed.

2.3 Other hazards

None known.

3. Composition/information on ingredients

Formula	LiCl	CiLi (Hill)
CAS-No.	7447-41-8	
EC-No.	231-212-3	
Molar mass	42,39 g/mol	

4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air. Consult doctor if feeling unwell.
After skin contact: wash off with plenty of water. Remove contaminated clothing.
After eye contact: rinse out with plenty of water. Call in ophthalmologist.
After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The Safety Data Sheets for catalogue items are available at www.merck-chemicals.com

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 105679
Product name Lithium chloride for analysis EMSURE® ACS, Reag. Ph Eur

irritant effects, Drowsiness, Diarrhoea, Nausea, Vomiting, cardiovascular disorders, Tiredness, Impairment of vision

4.3 Indication of immediate medical attention and special treatment needed

No information available.

5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible.

5.3 Advice for firefighters

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

6.2 Environmental precautions

Do not empty into drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7.2 and 10.5).

Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

Indications about waste treatment see section 13.

7. Handling and storage

7.1 Precautions for safe handling

Observe label precautions.

7.2 Conditions for safe storage, including any incompatibilities

Tightly closed. Dry.

Storage temperature: no restrictions.

7.3 Specific end uses

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 105679
Product name Lithium chloride for analysis EMSURE® ACS, Reag. Ph Eur

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Eye/face protection

Safety glasses

Hand protection

full contact:

Glove material:	Nitrile rubber
Glove thickness:	0,11 mm
Break through time:	> 480 min

splash contact:

Glove material:	Nitrile rubber
Glove thickness:	0,11 mm
Break through time:	> 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatrill® L (full contact), KCL 741 Dermatrill® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet (>,<) supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment:

protective clothing

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 2 (acc. to DIN 3181) for solid and liquid particles of harmful substances

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 105679
Product name Lithium chloride for analysis EMSURE® ACS, Reag. Ph Eur

Environmental exposure controls
Do not empty into drains.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	solid
Colour	colourless
Odour	odourless
Odour Threshold	No information available.
pH	ca. 6 at 50 g/l 20 °C
Melting point	614 °C
Boiling point/boiling range	1.360 °C at 1.013 hPa
Flash point	not applicable
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Vapour pressure	1,33 hPa at 547 °C
Relative vapour density	No information available.
Relative density	2,07 g/cm ³ at 20 °C
Water solubility	832 g/l at 20 °C
Partition coefficient: n-octanol/water	No information available.
Autoignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, dynamic	No information available.
Explosive properties	No information available.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 105679
Product name Lithium chloride for analysis EMSURE® ACS, Reag. Ph Eur

Oxidizing properties No information available.

9.2 Other data

Ignition temperature not applicable

Bulk density ca.530 kg/m³

10. Stability and reactivity

10.1 Reactivity

Dangerous reactions are not expected handling the product according to its intended use.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Risk of explosion with:, Exothermic reaction with:

Alkali metals, halogen-halogen compounds

Violent reactions possible with:

Strong acids

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

no information available

11. Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

LD50 rat

Dose: 526 mg/kg

(RTECS)

absorption

Acute inhalation toxicity

Symptoms: Possible damages:, mucosal irritations

Skin irritation

rabbit

Result: Irritations

(IUCLID)

Causes skin irritation.

Eye irritation

rabbit

Result: Eye irritation

(IUCLID)

Causes serious eye irritation.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 105679
Product name Lithium chloride for analysis EMSURE® ACS, Reag. Ph Eur

Genotoxicity in vitro

Ames test
Result: negative
(Lit.)

Specific target organ toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

11.2 Further information

Further information

After absorption of toxic quantities:

Drowsiness, Impairment of vision, lack of appetite, change in weight, Tiredness, Diarrhoea, Vomiting, Nausea, cardiovascular disorders, disturbed electrolyte balance.

Further data:

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

12. Ecological information

12.1 Toxicity

Toxicity to fish

LC50
Species: Oncorhynchus mykiss (rainbow trout)
Dose: 158 mg/l
Exposure time: 96 h
(External MSDS)

Toxicity to daphnia and other aquatic invertebrates.

EC50
Species: Daphnia magna (Water flea)
Dose: 249 mg/l
Exposure time: 48 h
(External MSDS)

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Additional ecological information

Do not allow to run into surface waters, wastewater, or soil.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 105679
Product name Lithium chloride for analysis EMSURE® ACS, Reag. Ph Eur

13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

14. Transport information

Not classified as dangerous in the meaning of transport regulations.

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard 96/82/EC
Legislation Directive 96/82/EC does not apply

Occupational restrictions Take note of Dir 94/33/EC on the protection of young people at work. Take note of Dir 92/85/EEC on the safety and health at work of pregnant workers.

National legislation

Storage class VCI 10 - 13 Other liquids and solids

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out.

16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H302 Harmful if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.

Full text of R-phrases referred to under sections 2 and 3

R22 Harmful if swallowed.
R36/38 Irritating to eyes and skin.

Training advice

Provide adequate information, instruction and training for operators.

Regional representation: This information is given on the authorised Safety Data Sheet for your country.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.
